


Zeitpunkt (min)	N (Upm)	Füllstand (%)	Temperatur (°C)
0	43	90	35,9
2	43	91	35,9
3	43	91	35,8
4	45	92	35,9
5	45	90	35,9
6	46	87	35,6
7	45	83	35,4
8	45	79	35,2
9	45	76	35,2
10	46	73	35,1
11	45	70	35,1
12	43	66	35,1
13	41	64	35,1
14	41	60	35,0
15	38	56	35,0
16	37	52	35,0
17	35	49	35,0
18	35	46	35,0
19	33	43	35,0
20	32	39	34,9
21	30	35	35,0
22	29	32	35,0
23	27	28	35,0
24	26	25	35,0
25	26	21	34,9
26	25	17	34,9
27	24	13	34,9
28	23	8	34,9

1. Messung 10.06.2009 Charge 153 Gouda 48 % Rund




Start Kühlung: nach 5 min
Dauer: 9 min
KF 27
Nachwärmtemperatur: 36,4 °C

BPT-Nr.: 1

Zeitpunkt (min)	N (Upm)	Füllstand (%)	Temperatur (°C)
0	46	91	36,1
2	46	85	35,9
3	46	83	35,6
4	45	79	35,6
5	45	75	35,6
6	46	72	35,6
7	45	70	35,6
8	43	65	35,6
9	42	62	35,6
10	39	59	35,6
11	37	55	35,6
12	36	50	35,6
13	35	48	35,6
14	33	44	35,6
15	32	41	35,6
16	31	37	35,6
17	30	33	35,6
18	28	30	35,6
19	27	26	35,6
20	25	22	35,6
21	25	18	35,6
22	25	15	35,5
23	24	10	35,6
24	22	3	35,6

2. Messung 10.06.2009 Charge 153 Gouda 48 % Rund




Start Kühlung: nach 1 min
Dauer: 2 min
KF 30
Nachwärmtemperatur: 36,6 °C

BPT-Nr.: 2

Zeitpunkt (min)	N (Upm)	Füllstand (%)	Temperatur (°C)
--------------------	---------	---------------	-----------------

0	42	90	36,4
2	45	88	36,3
3	46	84	36,1
4	46	81	36,0
5	45	77	35,7
6	45	74	35,6
7	46	71	35,6
8	44	68	35,6
9	42	64	35,6
10	41	61	35,6
11	39	57	35,6
12	37	54	35,6
13	35	50	35,6
14	34	46	35,6
15	32	43	35,6
16	32	39	35,5
17	30	35	35,6
18	29	32	35,5
19	28	29	35,5
20	26	25	35,5
21	25	21	35,5
22	25	17	35,6
23	24	13	35,5
24	23	8	35,5
25	23	3	35,4

3. Messung 11.06.2009 Charge 154 Gouda 48 % Rund




Start Kühlung: nach 1 min
Dauer: 5 min
KF 30
Nachwärmtemperatur: 36,7 °C

BPT-Nr.: 2

Zeitpunkt (min)	N (Upm)	Füllstand (%)	Temperatur (°C)
--------------------	---------	---------------	-----------------

0	43	91	35,7
1	45	88	35,7
2	45	83	35,5
3	46	80	35,2
4	46	76	35,0
5	45	74	35,0
6	45	71	34,9
7	43	67	34,9
8	41	64	35,0
9	40	61	35,0
10	39	57	35,0
11	36	53	35,0
12	35	49	35,0
13	34	45	34,9
14	33	43	34,9
15	31	39	34,9
16	29	36	35,0
17	29	32	34,9
18	27	28	34,9
19	27	24	35,0
20	26	21	34,9
21	25	17	34,9
22	24	13	34,9
23	23	8	34,9
24	21	3	34,9

4. Messung 17.06.2009 Charge 160 Gouda 48 % Rund




Start Kühlung: nach 2 min
Dauer: 4 min
KF 21
Nachwärmtemperatur: 36,5 °C

BPT-Nr.: 1

Zeitpunkt (min)	N (Upm)	Füllstand (%)	Temperatur (°C)
--------------------	---------	---------------	-----------------

0	43	89	35,9
1	46	85	35,8
2	45	81	35,6
3	45	78	35,3
4	46	75	35,2
5	45	71	35,0
6	44	67	35,0
7	42	63	35,0
8	40	61	35,0
9	39	58	35,0
10	37	54	34,9
11	35	51	35,0
12	35	48	35,0
13	33	44	35,0
14	32	40	35,0
15	30	36	35,0
16	29	33	35,0
17	29	30	34,9
18	28	26	35,0
19	26	23	34,9
20	25	19	34,9
21	24	15	34,9
22	24	10	34,9
23	23	4	34,8

5. Messung 17.06.2009 Charge 160 Gouda 48 % Rund



Start Kühlung: nach 1 min
Dauer: 4 min
KF 22
Nachwärmtemperatur: 36,2 °C

BPT-Nr.: 2